

订购热线: 4008-898-798

# Anti-FKBP8 antibody

Cat. No.	ml222378
Package	25 μl/100 μl/200 μl
Storage	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Product overview	
Description	Anti-FKBP8 rabbit polyclonal antibody
Applications	ELISA, WB, IHC
Immunogen	Fusion protein of human FKBP8
Reactivity	Human, Mouse, Rat
Content	0.6 mg/ml
Host species	Rabbit
lg class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification
	Antigen amnity purification
Target information	oroc
Symbol	FKBP8
Full name	FK506 binding protein 8, 38kDa
(	G005
	$\checkmark$



Synonyms FKBP38; FKBPr38

Swissprot Q14318

## **Target Background**

The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. Unlike the other members of the family, this encoded protein does not seem to have PPIase/rotamase activity. It may have a role in neurons associated with memory function.




#### Applications


### Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human colon cancer

Recommended dilution: 100-300







Good elisa kit producer

The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using ml222378(FKBP8 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200) Predicted cell location: Cytoplasm

Positive control: Human cervical cancer

Recommended dilution: 100-300





The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ml222378(FKBP8 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)

#### Western blotting

Predicted band size:45 kDa

Positive control:Mouse liver tissue

Recommended dilution: 1000-5000



#### Gel: 8%SDS-PAGE

Lysate: 40 µg

Lane: Mouse liver tissue

Primary antibody: ml222378(FKBP8 Antibody) at dilution 1/1150

kDa 95-

28.

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 1 minute

## ELISA

Recommended dilution: 2000-10000

# 联系电话: 4008-898-798, 021-61725725

# 联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net

网址: www.mlbio.cn