

订购热线: 4008-898-798

Anti-GRSF1 antibody

Cat. No.	ml264133
Package	25 μl/100 μl/200 μl
Storage	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Product overview	
Description	Anti-GRSF1 rabbit polyclonal antibody
Applications	ELISA, WB, IHC
Immunogen	Synthetic peptide of human GRSF1
Reactivity	Human, Mouse
Content	0.72 mg/ml
Host species	Rabbit
lg class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification
	Anugen animity punication
Target information	oroc
Symbol	GRSF1
Full name	G-rich RNA sequence binding factor 1
(-,005



Synonyms

Swissprot Q12849

Target Background

The protein encoded by this gene is a cellular protein that binds RNAs containing the G-rich element. The protein is localized in the cytoplasm, and has been shown to stimulate translation of viral mRNAs in vitro. Multiple transcript variants encoding different isoforms have been found for this gene.



订购热线: 4008-898-798


Applications


Immunohistochemistry

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human ovarian cancer

Recommended dilution: 30-150





Good elisa kit producer

The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ml264133(GRSF1 Antibody) at dilution 1/25, on the right is treated with synthetic peptide. (Original magnification: ×200)

Western blotting


Predicted band size:53 kDa


Positive control:293T and Jurkat cell lysates

Recommended dilution: 500-2000

Predicted cell location: Cytoplasm and Nucleus Positive control: Human esophagus cancer

Recommended dilution: 30-150





The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using ml264133(GRSF1 Antibody) at dilution 1/25, on the right is treated with synthetic peptide. (Original magnification: ×200)



Gel: 8%SDS-PAGE			
	kDa	1	2
	250 —		
Lysate: 40 µg	130 —		
	95 —		
Lane 1-2: 293T and Jurkat cell lysates	72 —		
	55 —		
Primary antibody: ml264133(GRSF1 Antibody) at dilution 1/300			
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution	36 —		
			-
Exposure time: 40 seconds	28 —		

ELISA

Recommended dilution: 5000-10000

联系电话: 4008-898-798,021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn