

鼻咽癌相关蛋白 6 抗体

产品货号： mlR8090

英文名称： CCDC136

中文名称： 鼻咽癌相关蛋白 6 抗体

别名： CC136_HUMAN; Ccdc136; Coiled-coil domain-containing protein 136; DKFZP434G156; KIAA1793; NAG6; Nasopharyngeal carcinoma-associated gene 6 protein.

研究领域： 肿瘤 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量：134kDa

细胞定位：细胞膜

性状：Lyophilized or Liquid

浓度：1mg/ml

免疫原：KLH conjugated synthetic peptide derived from Human CCDC136/NAG6:85-190/1154

亚型：IgG

纯化方法：affinity purified by Protein A

储存液：0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件：Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed：PubMed

产品介绍：Expressed in gastric tissues. Down-regulated in gastric cancer.

Subcellular Location:

Membrane; Single-pass membrane protein (Potential).

Tissue Specificity:

Expressed in gastric tissues. Down-regulated in gastric cancer.

SWISS:

Q96JN2

Gene ID:

64753

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

