

丙型肝炎 NS2 反式调节蛋白衰老相关的基因 10 蛋白抗体

产品货号： mlR6407

英文名称： CHCHD2

中文名称： 丙型肝炎 NS2 反式调节蛋白/衰老相关的基因 10 蛋白抗体

别名： mitochondrial; 16.7kD protein; Aging Associated Gene 10 Protein; Aging-associated gene 10 protein; C7orf17; CHCH2_HUMAN; CHCHD 2; CHCHD2; Coiled Coil Helix Coiled Coil Helix Domain Containing 2; Coiled coil helix coiled coil helix domain containing protein 2, mitochondrial; Coiled-coil-helix-coiled-coil-helix domain-containing protein 2; HCV NS2 trans regulated protein; HCV NS2 trans-regulated protein; NS2TP.

研究领域： 细胞生物 细菌及病毒 线粒体

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Chicken, Dog, Pig, Horse, Rabbit, Guinea Pig, G

产品应用： IHC-P=1:100-200 IHC-F=1:100-200 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 12 kDa

细胞定位： 细胞浆 线粒体

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human CHCHD2:96-130/151

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMedPubMed

产品图片

