

## C 型凝集素结构域家族 1 成员 A 抗体

产品货号： mIR2542

英文名称： CLEC1

中文名称： C 型凝集素结构域家族 1 成员 A 抗体

别名： CLEC-1A; C-type lectin domain family 1 member A; C-type lectin-like receptor 1; CLEC-1; 5930406N14RIK; CLEC1; CLEC1A; MGC34328; RGD1566110; C-type lectin domain family 1 member A; CLC1A\_HUMAN.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Guinea Pig, G

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 32kDa

细胞定位： 细胞膜

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human CLEC1/CLEC1A:151-280/280 <Extracellular>

**亚 型 :** IgG

**纯化方法 :** affinity purified by Protein A

**储 存 液 :** 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**保存条件 :** Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed :** PubMed

**产品介绍 :** This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. The encoded protein may play a role in regulating dendritic cell function. Alternative splice variants have been described but their biological nature has not been determined. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer gene complex region. [provided by RefSeq]

**Subcellular Location:**

Membrane; Single-pass type II membrane protein (Probable).

**Tissue Specificity:**

Expressed preferentially in dendritic cells.

**Similarity:**

Contains 1 C-type lectin domain.

**SWISS:**



Q8NC01

**Gene ID:**

51267

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.