

## 磷酸化减数分裂重组蛋白家族 REC8 抗体

产品货号： mlR7726

英文名称： phospho-REC8 (Ser251)

中文名称： 磷酸化减数分裂重组蛋白家族 REC8 抗体

别名： REC8 (phospho Ser251); p-REC8(phospho S251); Cohesin Rec8p; Meiotic recombination protein REC8 homolog; Meiotic recombination protein REC8-like 1; rec8; REC8 homolog (yeast); REC8\_HUMAN; REC8L; Rec8L1; Rec8p.

产品类型： 磷酸化抗体

研究领域： 细胞生物 细胞周期蛋白 细胞分化 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Mouse,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 （石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量：67kDa

细胞定位：细胞核

性状：Lyophilized or Liquid

浓度：1mg/ml

免疫原：KLH conjugated synthesised phosphopeptide derived from mouse REC8 around the phosphorylation site of Ser251:RA(p-S)LP

亚型：IgG

纯化方法：affinity purified by Protein A

储存液：0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件：Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**PubMed :** PubMed

**产品介绍 :** Component of cohesin complex, a complex required for the cohesion of sister chromatids after DNA replication. The cohesin complex apparently forms a large proteinaceous ring within which sister chromatids can be trapped. At anaphase, the complex is cleaved and dissociates from chromatin, allowing sister chromatids to segregate. The cohesin complex may also play a role in spindle pole assembly during mitosis.

**SWISS:**

Q8C5S7

**Gene ID:**

56739

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

**产品图片**

