

细胞角蛋白 36 抗体

产品货号： mIR16999

英文名称： Keratin 36

中文名称： 细胞角蛋白 36 抗体

别名： HA6; Hair keratin; Hair keratin, type I Ha6; HHA6; HKA6; K36; Keratin; Keratin hair acidic 6; Keratin type I cuticular Ha6; keratin, hair, acidic, 6; Keratin, hard, type I; Keratin, hard, type I, 6; keratin, type I cuticular Ha6; Keratin-36; Krt36; KRT36_HUMAN; KRTHA6; type I cuticular Ha6; type I Ha6.

研究领域： 细胞生物 信号转导

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

（石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 52kDa

细胞定位： 细胞浆 细胞外基质 分泌型蛋白

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human Keratin 36:301-400/467

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : The protein encoded by this gene is a member of the keratin gene family. This type I hair keratin is an acidic protein which heterodimerizes with type II keratins to form hair and nails. The type I hair keratins are clustered in a region of chromosome 17q12-q21 and have the same direction of transcription. [provided by RefSeq, Jul 2008]

Subunit:

Heterotetramer of two type I and two type II keratins.

Tissue Specificity:

Expressed in the hair follicle.

Similarity:

Belongs to the intermediate filament family.

SWISS:

O76013

Gene ID:

8689

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

