

FITC 标记小鼠抗人 CD45 单克隆抗体

英文名称:	human CD45/FITC
中 文名称:	FITC 标记小鼠抗人 CD45 单克隆抗体
抗体来源:	Mouse
克隆类型:	Monoclonal
克隆号:	HI30
交叉反应 :	Human,
	Flow Cyt=5ul/Test, Flow-Cyt=5ul/Test
not yet tested in other applications.	

optimal dilutions/concentrations should be determined by the end user.

分子量: 180-220kDa

产品货号: mIR00401



性 状: Liquid
亚 型: IgG1
储存液: 0.01M PBS, 0.5%BSA, 0.03%Proclin300
保存条件: Store at 2-8℃, protect from light.
PubMed: PubMed
产品介绍: In immunology, the CD3 (cluster of differentiation 3) T cell co-receptor helps to activate both the cytotoxic T cell (CD8+ naive T cells) and also T helper cells (CD4+ naive T cells). It consists of a protein complet and is composed of four distinct chains. In mammals, the complex contains a CD3 γ chain, a CD3 δ chain, and two CD3 ϵ chains. These chains associate with the T-cell receptor (TCR) and the ζ -chain (zeta-chain) to generate an activation signal in T lymphocytes. The TCR, ζ -chain, and CD3 molecules together constitute the TCR complex.
SWISS:
P08575
Gene ID:
5788
Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

