

细胞角蛋白 77 抗体

产品货号： mIR16951

英文名称： Keratin 77

中文名称： 细胞角蛋白 77 抗体

别名： CK-1B; Cytokeratin-1B; K1B; K2C1B_HUMAN; K77; Keratin 1B; Keratin, type II cytoskeletal 1b; Keratin-77; KRT1B; Krt77; Type-II keratin Kb39.

研究领域： 细胞生物 信号转导

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量：62kDa

细胞定位：细胞浆

性状：Lyophilized or Liquid

浓度：1mg/ml

免疫原：KLH conjugated synthetic peptide derived from human Keratin 77:401-500/578

亚型：IgG

纯化方法：affinity purified by Protein A

储存液：0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件：Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 Keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into epithelial keratins and hair keratins. This gene encodes an epithelial keratin that is expressed in the skin and eccrine sweat glands. The type II keratins are clustered in a region of chromosome 12q13.[provided by RefSeq, Jun 2009]

Tissue Specificity:

Expressed exclusively in skin.

Post-translational modifications:

Undergoes deimination of some arginine residues (citrullination).

Similarity:

Belongs to the intermediate filament family.

SWISS:

Q7Z794

Gene ID:

374454

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

mlbio 梅联生物
Good elisakit producers