

## 胃窦粘膜蛋白 GKN1 抗体

产品货号： mlR14441

英文名称： Gastrokine 1

中文名称： 胃窦粘膜蛋白 GKN1 抗体

别名： 18 kDa antrum mucosa protein; AMP 18; AMP-18; AMP18; Antrum mucosa protein, 18-KD; BRICD 1; BRICD1; BRICHOS domain containing 1; CA 11; CA11; CA11 gene; CA11 protein; FOV; Foveolin; Gastrokine-1; Gastrokine1; GKN 1; Gkn1; GKN1\_HUMAN; MGC70354; Protein CA11; UNQ489/PRO1005.

研究领域： 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 18kDa

细胞定位： 细胞浆

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human Gastrokine 1:101-199/199

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : The protein encoded by this gene is found to be down-regulated in human gastric cancer tissue as compared to normal gastric mucosa. [provided by RefSeq, Jul 2008]

**Function:**

Has mitogenic activity and may be involved in maintaining the integrity of the gastric mucosal epithelium.

**Subcellular Location:**

Secreted.

**Tissue Specificity:**

Expressed in stomach. No expression is detected in cancer tissue or gastric cancer cell lines.

**Similarity:**

Belongs to the gastrokine family.

Contains 1 BRICHOS domain.

**SWISS:**

Q9NS71

**Gene ID:**

56287

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

