

卷曲螺旋结构域蛋白 92 抗体

产品货号: mIR8142 英文名称: CCDC92 中文名称: 卷曲螺旋结构域蛋白 92 抗体 别 名: Coiled coil domain containing protein 92; FLJ22471; Limkain beta 2; CCD92_HUMAN. 研究领域: 细胞生物 免疫学 抗体来源: Rabbit 克隆类型: Polyclonal 交叉反应 : Human, Mouse, Rat, Chicken, Dog, Pig, Horse, Rabbit,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



产品图片

分 子	量	:	37kDa
细胞定	位	:	细胞浆
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human CCDC92:101-200/331
<u> J</u> Ľ	型	:	IgG
纯化方	法	:	affinity purified by Protein A
储 存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
at roor	n te	mp	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable erature for at least one month and for greater than a year when kept at -20°C. When reconstituted .4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMe	ed :	P	ubMed



