

叉头蛋白 P4 抗体

产品货号: mIR10990

英文名称: FOXP4

中文名称: 叉头蛋白 P4 抗体

别 名: 1200010K03Rik; 2310007G05Rik; FKHLA; FLJ40908; FLJ44184; Fork head related protein like A; Fork head-related protein-like A; Forkhead box P4; Forkhead box protein P4; FOX P4; FOXP 4; foxp4; FOXP4_HUMAN; hFKHLA; MFKHLA; OTTHUMP00000016374; OTTHUMP00000039784; OTTHUMP00000043412; OTTHUMP00000043536; Winged helix repressor FOX P4; Winged helix repressor FOXP 4; Winged helix repressor FOXP4.

研究领域: 肿瘤 细胞生物 转录调节因子 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Chicken, Dog, Cow, Horse, Rabbit, Sheep,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 73kDa

细胞定位: 细胞核

性 状: Lyophilized or Liquid



浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human FOXP4:1-100/680

亚型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed: PubMed

产品介绍: This gene belongs to subfamily P of the forkhead box (FOX) transcription factor family. Forkhead box transcription factors play important roles in the regulation of tissue- and cell type-specific gene transcription during both development and adulthood. Many members of the forkhead box gene family, including members of subfamily P, have roles in mammalian oncogenesis. This gene may play a role in the development of tumors of the kidney and larynx. Alternative splicing of this gene produces multiple transcript variants, some encoding different isoforms. [provided by RefSeq, Jul 2008]

Function:

Transcriptional repressor that represses lung-specific expression.

Post-translational modifications:

Nucleus.

Similarity:

Contains 1 C2H2-type zinc finger.



Contains 1	fork-	head	DNA-	bind	ing	domain.
------------	-------	------	------	------	-----	---------

applications.

SWISS:
Q8IVH2
Gene ID:
116113
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic