

毛发角蛋白 33A 抗体

产品货号： mlR16824

英文名称： KRT33A

中文名称： 毛发角蛋白 33A 抗体

别名： Ha-3I; HA3I; Hair keratin; Hair keratin, type I Ha3-I; Hard keratin, type I,3I; hHa3-I; HHA3-I; HKA3A; K33A; Keratin; Keratin, hair, acidic, 3A; Keratin, type I cuticular Ha3-I; Keratin-33A; Krt1-3; Krt33a; KRTHA3A; KT33A_HUMAN; type I cuticular Ha3-I; type I Ha3-I.

研究领域： 细胞生物 信号转导

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 46kDa

细胞定位 : 细胞浆 细胞外基质 分泌型蛋白

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human KRT33A:

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 background:

This gene encodes a member of the keratin gene family. This gene is one of multiple type I hair keratin genes that are clustered in a region of chromosome 17q12-q21 and have the same direction of transcription. As a type I hair keratin, the encoded protein is an acidic protein which heterodimerizes with type II keratins to form hair and nails. There are two isoforms of this protein, encoded by two separate genes, keratin 33A and keratin 33B. [provided by RefSeq, May 2012]

Tissue Specificity:

Expressed in the hair follicles.

Similarity:

Belongs to the intermediate filament family.

SWISS:

O76009

Gene ID:

3883

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

