

DNA 解旋酶 HEL308 蛋白抗体

产品货号: mlR8851

英文名称: HEL308

中文名称: DNA 解旋酶 HEL308 蛋白抗体

别 名: DNA helicase HEL308; HEL308 protein; Helicase POLQ-like; Helicase, POLQ like; HELQ; HELQ_HUMAN; Mus308 like helicase; Mus308-like helicase; POLQ like helicase; POLQ-like helicase.

研究领域: 细胞生物 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Pig, Cow, Horse, Rabbit, Sheep,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 124kDa

细胞定位: 细胞核

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



SWISS:

免疫原: KLH conjugated synthetic peptide derived from human HEL308:1001-1101/1101
亚 型: IgG
纯化方法: affinity purified by Protein A
储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.
PubMed: PubMed
产品介绍: HEL308 is a single-stranded DNA-dependent ATPase and DNA helicase (Marini and Wood, 2002 [PubMed 11751861]).[supplied by OMIM, Mar 2008]
Function:
DNA-dependent ATPase and 5' to 3' DNA helicase.
Subunit:
Hexamer.
Similarity:
Belongs to the helicase family. SKI2 subfamily.
Contains 1 helicase ATP-binding domain.
Contains 1 helicase C-terminal domain.



Q8TDG4
Gene ID:
113510
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.