

## 多腺苷二磷酸多聚酶 PARP11 抗体

产品货号： mIR19885

英文名称： PARP11

中文名称： 多腺苷二磷酸多聚酶 PARP11 抗体

别 名： 5330431N24Rik; AI851877; C12orf6; DKFZp779H0122; HIN1L; MIB006; OTTMUSP00000027219;  
Poly (ADP ribose) polymerase family member 11; RGD1561791.

研究领域： 细胞生物 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需  
做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 39kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

**免 疫 原：** KLH conjugated synthetic peptide derived from human PARP11:21-120/331

**亚 型：** IgG

**纯化方法：** affinity purified by Protein A

**储 存 液：** 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**保存条件：** Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed：** PubMed

**产品介绍：** Poly(ADP-ribosyl)ation is a DNA-damage-dependent post-translational modification of histones. Poly(ADP-ribose) polymerases (PARPs) are a family of 18 proteins, encoded by different genes and displaying a conserved catalytic domain.

**Similarity:**

Contains 1 PARP catalytic domain.

Contains 1 WWE domain.

**SWISS:**

Q9NR21

**Gene ID:**

57097

**Important Note:**



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.