

## E3 泛素连接酶蛋白 NEURL1B 抗体

产品货号： mlR19212

英文名称： NEURL1B

中文名称： E3 泛素连接酶蛋白 NEURL1B 抗体

别 名： E3 ubiquitin-protein ligase NEURL1B; E3 ubiquitin-protein ligase NEURL3; hNeur2; NEU1B\_HUMAN; Neur2; neuralized-2 alternative protein; neuralized-2; Neuralized-like protein 1B; Neuralized-like protein 3; NEURL1B; NEURL3.

研究领域： 细胞生物 表观遗传学 泛素

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Gorilla, Orngutan

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 59kDa

细胞定位： 细胞浆 细胞膜

性 状： Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human NEURL1B:1-100/555

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 ° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : E3 ubiquitin-protein ligase involved in regulation of the Notch pathway through influencing the stability and activity of several Notch ligands.

**Tissue Specificity:**

Highest expression in brain, prostate and small intestine. In the brain the levels are higher in fetal than in adult stage. In the adult brain the highest levels are detected in the olfactory system, cerebellar cortex, optic nerve and the frontal lobe.

**Similarity:**

Contains 2 NHR (neuralized homology repeat) domains.

Contains 1 RING-type zinc finger.

**SWISS:**

A8MQ27

**Gene ID:**

54492

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.