

富含亮氨酸重复蛋白 15 抗体

产品货号： mlR6815

英文名称： LRRC15

中文名称： 富含亮氨酸重复蛋白 15 抗体

别名： Leucine-rich repeat-containing protein 15; LIB; LRC15_HUMAN.

研究领域： 肿瘤 神经生物学 信号转导 肿瘤细胞生物标志物 Alzheimer's

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用： WB=1:500-2000 ELISA=1:500-1000

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 62kDa

细胞定位： 细胞膜

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human LRRC15:251-350/581 <Extracellular>

亚 型： IgG

纯化方法： affinity purified by Protein A

储存液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed

产品介绍 background:

LRRC15 may contribute to regulation of cell-matrix adhesion interactions with respect to astrocyte recruitment around senile plaques in Alzheimer's disease brain. LRRC15 is induced by EWS-WT1(+KTS) in the tumor DSRCT

and may play a role in cellular invasion.

Function:

LRRC15 may contribute to regulation of cell-matrix adhesion interactions with respect to astrocyte recruitment around senile plaques in Alzheimer's disease brain. LRRC15 is induced by EWS-WT1(+KTS) in the tumor DSRCT and may play a role in cellular invasion.

Subcellular Location:

Membrane; Single-pass type I membrane protein (Potential)

Tissue Specificity:

Brain and placenta.

Similarity:

Contains 15 LRR (leucine-rich) repeats.

Contains 1 LRRCT domain.

Contains 1 LRRNT domain.

SWISS:

Q8TF66

Gene ID:

131578

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片：

