

线粒体外膜蛋白 TOM5 抗体

产品货号： mlR17318

英文名称： TOMM5

中文名称： 线粒体外膜蛋白 TOM5 抗体

别名： 1110019J04Rik; C9orf105; Mitochondrial import receptor subunit TOM5 homolog; Mitochondrial outer membrane protein TOM5; RP11-263I4.1; RP11-613M10.3; TOM5; Translocase of outer mitochondrial membrane 5 homolog (yeast).

研究领域： 细胞生物 信号转导 新陈代谢

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Cow, Sheep, Orangutan

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 6kDa

细胞定位 : 细胞浆

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human TOMM5:1-30/51

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : Forms part of the preprotein translocase complex of the outer mitochondrial membrane (TOM complex) which consists of at least 7 different proteins (TOMM5, TOMM6, TOMM7, TOMM20, TOMM22, TOMM40 and TOMM70).

Subcellular Location:

Mitochondrion outer membrane; Single-pass membrane protein

SWISS:

Q8N4H5

Gene ID:

401505

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.