

## 21 号染色体开放阅读框 70 抗体

产品货号： mlR9979

英文名称： C21orf70

中文名称： 21 号染色体开放阅读框 70 抗体

别名： Chromosome 21 open reading frame 70; CU070\_HUMAN; Hypothetical protein LOC85395; PRED56; Uncharacterized protein C21orf70.

研究领域： 细胞生物 免疫学 发育生物学 神经生物学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 25kDa

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human C21orf70:51-150/230

亚型： IgG

**纯化方法** : affinity purified by Protein A

**储存液** : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**保存条件** : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**PubMed** : PubMed

**产品介绍** : The smallest of the human chromosomes, 21 makes up about 1.5% of the human genome. Chromosome 21 contains nearly 300 genes and 47 million base pairs. Down syndrome, also known as trisomy 21, is the disease most commonly associated with chromosome 21. Alzheimer's disease, Jervell and Lange-Nielsen syndrome and amyotrophic lateral sclerosis are also associated with chromosome 21. Translocations are found to occur between chromosome 21 and 8, and chromosome 21 and 12, in certain leukemias. The C21orf70 gene product has been provisionally designated C21orf70 pending further characterization.

**Tissue Specificity:**

Not detected in any tested tissue.

**Similarity:**

Belongs to the FAM207 family.

**SWISS:**

Q9NSI2

**Gene ID:**

85395

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

