

P18 剪接调节蛋白抗体

产品货号： mlR21108

英文名称： SFRS12/p18SRP

中文名称： P18 剪接调节蛋白抗体

别名： p18 splicing regulatory protein; p18SRP; P18SRP protein; Protein SFRS12IP1; Protein SREK1IP1; SFRS12 interacting protein 1; SFRS12-interacting protein 1; Splicing regulatory protein of 18 kDa; SR1IP_HUMAN; SREK1-interacting protein 1; SREK1IP1.

研究领域： 细胞生物 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Cow, Horse, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 18kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human SFRS12/p18SRP:21-120/155

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : Preservative: 15mM Sodium Azide, Constituents: 1% BSA, 0.01M PBS, pH 7.4

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 Function:

Participates in the regulation of alternative splicing by modulating the activity of other splice factors. Inhibits the splicing activity of SFRS1, SFRS2 and SFRS6. Augments the splicing activity of SFRS3.

Subunit:

Homodimer. Binds SFRS1, SFRS2, SFRS3 and SFRS6. Interacts with the spliceosome. Interacts with SREK1IP1.

Subcellular Location:

Nucleus.

Similarity:

Belongs to the splicing factor SR family.

Contains 1 RRM (RNA recognition motif) domain.

SWISS:

Q8N9Q2

Gene ID:

285672

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

