

锌指蛋白 652 抗体

产品货号: mIR7487

英文名称: ZNF652

中文名称: 锌指蛋白 652 抗体

别 名: DKFZp781E2122; KIAA0924; OTTHUMP00000220047; Zinc finger protein 652; ZN652_HUMAN;

ZNF652.

研究领域: 细胞生物 转录调节因子 结合蛋白 锌指蛋白 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 70kDa

细胞定位: 细胞核

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



免疫原: KLH conjugated synthetic peptide derived from human ZNF652:1-100/606
亚 型: IgG
纯化方法: affinity purified by Protein A
储 存 液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.
PubMed: PubMed
产品介绍: ZNF652 (Zinc Finger Protein 652) is a Protein Coding gene. GO annotations related to this gene include nucleic acid binding. An important paralog of this gene is ZBTB47.
Function:
Functions as a transcriptional repressor.
Subcellular Location:
Nucleus.
Tissue Specificity:
Widely expressed with higher expression in breast, prostate, vulva and pancreas.
Similarity:

Contains 9 C2H2-type zinc fingers.

Belongs to the krueppel C2H2-type zinc-finger protein family.



applications.

SWISS:
Q9Y2D9
Gene ID:
22834
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic