

TRIM50C 蛋白抗体

产品货	号	•	mlR16746					
英文名	名称	:	TRIM50C					
中文名	名称	:	TRIM50C 登	百抗体				
		74	; Tripartite	motif con	_HUMAN; TRIN ntaining protein notif-containing	n 50C; Tripari		
研究领	域	:	细胞生物	免疫学	发育生物学	表观遗传学		
抗体オ	₹源	:	Rabbit					
克隆沙	學	:	Polyclonal					
交叉反	反应	•	Human,					

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需



做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 29kDa

细胞定位: 细胞浆

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human TRIM50C:1-100/250

亚 型: lgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.



PubMed: PubMed
产品介绍 background:
TRIM74 (Tripartite Motif Containing 74) is a Protein Coding gene. Diseases associated with TRIM74 include
Williams-Beuren Syndrome. An important paralog of this gene is TRIM73.
Similarity:
Similarity.
Belongs to the TRIM/RBCC family.
Contains 1 B box-type zinc finger.
Contains 1 RING-type zinc finger.
SWISS:
Q86UV6
Q800V6
Gene ID:
378108
370100
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.