

葡萄糖激酶调节蛋白抗体

产品货号: mIR7057 英文名称: Glucokinase regulatory protein 中文名称: 葡萄糖激酶调节蛋白抗体 别 名: FGQTL5; GCKR; GCKR_HUMAN; GKRP; GLRE; glucokinase (hexokinase 4) regulator; Glucokinase $regulator; Glucokinase\ regulatory\ protein;\ OTTHUMP00000158533.$ 研究领域: 肿瘤 心血管 细胞生物 信号转导 转录调节因子 糖尿病 抗体来源: Rabbit 克隆类型: Polyclonal 交叉反应: Human, Mouse, Rat, Dog, Pig, Horse, Rabbit,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



Good elisakit producers	, dy

细胞定位: 细胞核

分子量: 69kDa

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human GCKR corresponding to amino acids 135-183.:121-220/625

亚 型: lgG

纯化方法: affinity purified by Protein A

储 存 液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed: PubMed

产品介绍 : Inhibits glucokinase by forming an inactive complex with this enzyme.



Tissue Specificity:
"Found in liver and pancreas. Not detected in muscle, brain, heart, thymus, intestine, uterus, adipose tissue
kidney, adrenal, lung or spleen.
Similarity:
Belongs to the GCKR family.
Contains 2 SIS domains.
SWISS:
Q14397
Gene ID:
2646
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.
产品图片:



