

## TRAPPC6B 蛋白抗体

产品货号： mlR16588

英文名称： TRAPPC6B

中文名称： TRAPPC6B 蛋白抗体

别名： FLJ17772; FLJ79549; TPC6B\_HUMAN; TPC6; Trafficking protein particle complex 6B; Trafficking protein particle complex subunit 6B.

研究领域： 细胞生物 信号转导 转运蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500

(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 18kDa

细胞定位： 细胞浆

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human TRAPPC6B:51-120/159

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : TRAPPC6B is a component of TRAPP complexes, which are tethering complexes involved in vesicle transport (Kummel et al., 2005 [PubMed 16025134]).[supplied by OMIM, Mar 2008]

**Function:**

TRAPPC6B is a component of TRAPP complexes, which are tethering complexes involved in vesicle transport. There are two named human isoforms, produced by alternative splicing.

**Subunit:**

Part of the multisubunit TRAPP (transport protein particle) complex. Homodimer. Heterodimer with TRAPPC3.

**Subcellular Location:**

Golgi apparatus, cis-Golgi network. Endoplasmic reticulum.

**Similarity:**

Belongs to the TRAPP small subunits family. BET3 subfamily.

SWISS:

Q86SZ2

Gene ID:

122553

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

