

锌指蛋白 AN1 抗体

产品货号： mlR18517

英文名称： ZFAND1

中文名称： 锌指蛋白 AN1 抗体

别 名： AN1 type zinc finger protein 1; AN1-type zinc finger protein 1; FLJ14007; ZFAN1_HUMAN; ZFAND 1; Zfand1; Zinc finger AN1 type domain 1.

研究领域： 细胞生物 免疫学 转录调节因子 锌指蛋白 表观遗传学 泛素

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Pig, Horse, Rabbit,

产品应用： IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 31kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human ZFAND1:101-200/268

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： ZFAND1 is a 268 amino acid protein that contains 2 AN1-type zinc fingers, which are often found in proteins that contain a ubiquitin-like domain and therefore play a role in the ubiquitination pathway. AN1-type zinc fingers contains six conserved cysteines and two histidines and have a dimetal (zinc)-bound alpha/beta fold. There are two isoforms of ZFAND1 that are produced as a result of alternative splicing events.

Similarity:

Contains 2 AN1-type zinc fingers.

SWISS:

Q8TCF1

Gene ID:

79752

Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.