

TOMM40L 蛋白抗体

产品货号： mlR17317

英文名称： TOMM40L

中文名称： TOMM40L 蛋白抗体

别名： FLJ12770; Mitochondrial import receptor subunit; RP11 297K8.10; TOMM40 like; TOMM40B;
Translocase of outer mitochondrial membrane 40 homolog (yeast) like.

研究领域： 肿瘤 细胞生物 信号转导 转录调节因子 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需
做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 34kDa

细胞定位 : 细胞浆

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human TOMM40L:1-100/308

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 Potential channel-forming protein implicated in import of protein precursors into mitochondria Forms part of the preprotein translocase of the outer mitochondrial membrane (TOM complex) containing TOMM22, TOMM40, TOMM40L and TOMM70. Interacts with mitochondrial targeting sequences.

Subcellular Location:

Mitochondrial outer membrane

SWISS:

Q969M1

Gene ID:

84134

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.