

前列腺相关蛋白 MSMP 抗体

产品货号： mIR17860

英文名称： MSMP

中文名称： 前列腺相关蛋白 MSMP 抗体

别名： Microseminoprotein, prostate associated; Msm; MSMP_HUMAN; PC3 secreted microprotein homolog; PC3-secreted microprotein; Prostate-associated microseminoprotein; PSMP.

研究领域： 肿瘤 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow, Horse, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 15kDa

细胞定位： 分泌型蛋白

性状： Lyophilized or Liquid

浓度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human MSMP:21-120/139

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： This gene encodes a member of the beta-microseminoprotein family. Members of this protein family contain ten conserved cysteine residues that form intra-molecular disulfide bonds. The encoded protein may play a role in prostate cancer tumorigenesis. [provided by RefSeq, Jan 2011]

Subcellular Location:

Secreted.

Tissue Specificity:

Detected in prostate epithelium (at protein level). Detected in trachea and testis. Highly expressed in the human prostate cancer cell line PC-3.

Similarity:

Belongs to the beta-microseminoprotein family.

SWISS:

Q1L6U9

Gene ID:

692094

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.