

## **TNRC6C**

产品货号: mlR18161

英文名称: TNRC6C

中文名称: TNRC6C

别 名: KIAA1582; TNR6C\_HUMAN; TNRC 6C; Trinucleotide repeat containing 6C; Trinucleotide repeat containing gene 6C protein; Trinucleotide repeat-containing gene 6C protein;

研究领域: 细胞生物 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Dog,

**产品应用 :** ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 176kDa

细胞定位: 细胞浆

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



免 疫 原: KLH conjugated synthetic peptide derived from human TNRC6C:651-750/7690

亚 型: IgG
纯化方法: affinity purified by Protein A
储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.
PubMed: PubMed
产品介绍: Plays a role in RNA-mediated gene silencing by micro-RNAs (miRNAs). Required for miRNA-dependent translational repression of complementary mRNAs by argonaute family proteins.
Similarity:
Belongs to the GW182 family.
Contains 1 RRM (RNA recognition motif) domain.
Contains 1 UBA domain.
SWISS:
Q9HCJ0
Gene ID:
57690
Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.