

## 核糖体结合蛋白 1 抗体

产品货号： mlR6574

英文名称： RRBP1

中文名称： 核糖体结合蛋白 1 抗体

别名： 180 kDa ribosome receptor homolog; DKFZp586A1420; ES/130; ES/130 related protein; ES130; FLJ36146; hES; Ribosome binding protein 1; Ribosome binding protein 1 homolog 180kDa; Ribosome binding protein 1 homolog; Ribosome receptor protein; RRBP 1; RRp; RRBP1\_HUMAN.

研究领域： 肿瘤 细胞生物 免疫学 肿瘤细胞生物标志物 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 Flow-Cyt=3ug/Test IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量：152kDa

细胞定位：细胞浆 细胞膜

性状：Lyophilized or Liquid

浓度：1mg/ml

免疫原：KLH conjugated synthetic peptide derived from human RRBP1:641-740/1410

亚型：IgG

纯化方法：affinity purified by Protein A

储存液：0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件：Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed：PubMed

产品介绍 background:

RRBP1 (Ribosome-binding protein 1) acts as a ribosome receptor and mediates interaction between the ribosome and the endoplasmic reticulum membrane.

**Function:**

Acts as a ribosome receptor and mediates interaction between the ribosome and the endoplasmic reticulum membrane (By similarity).

**Subcellular Location:**

Endoplasmic reticulum membrane; Single-pass type III membrane protein.

**SWISS:**

Q9P2E9

**Gene ID:**

6238

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

