

## 趋化素样因子超家族成员 3 抗体

产品货号:	mIR8021
英文名称 :	CKLFH3
中文名称:	趋化素样因子超家族成员 3 抗体
like MARVEL	BNAS2; Chemokine like factor super family 3; Chemokine like factor superfamily member 3; CKLF transmembrane domain containing 3; CKLF like MARVEL transmembrane domain containing protein MTM 3; CMTM3; MGC51956; Al413895; FLJ31762; 9430096L06Rik; CKLF3_HUMAN.
研究领域:	细胞生物 免疫学
抗体来源:	Rabbit
克隆类型:	Polyclonal
交叉反应:	Human, Mouse, Rat, Dog, Cow, Sheep,
<b>产品应用:</b> 做抗原修复)	WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需

not yet tested in other applications.



optimal dilutions/concentrations should be determined by the end user.

分子量: 20kDa

细胞定位: 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human CKLFH3/CMTM3:61-150/182

亚 型: IgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed: PubMed



产品介绍: This gene belongs to the chemokine-like factor gene superfamily, a novel family that is similar to the chemokine and the transmembrane 4 superfamilies of signaling molecules. This gene is one of several chemokine-like factor genes located in a cluster on chromosome 16. Alternatively spliced transcript variants containing different 5' UTRs, but encoding the same protein, have been identified. [provided by RefSeq, Jul 2008].

Subcellular Location:
Membrane; Multi-pass membrane protein.
Tissue Specificity:
Expressed in the leukocytes, placenta and testis.
Similarity:
Belongs to the chemokine-like factor family.
Contains 1 MARVEL domain.
SWISS:
Q96MX0
Gene ID:
123920

## **Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

