

趋化素样因子超家族成员 6 抗体

产品货号: mIR8025	
英文名称: CKLFH6	
中文名称: 趋化素样因	子超家族成员 6 抗体
superfamily member 6; Ch	ke factor super family 6; chemokine like factor superfamily 6; chemokine like factor superfamily 6; chemokine like factor superfamily member 6; CKLF like MARVEL transmembrane domain RVEL transmembrane domain-containing protein 6; CKLF6_HUMAN; CKLFSF6; Cmtm6 2219.
研究领域: 细胞生物	免疫学
抗体来源: Rabbit	
克隆类型: Polyclonal	
交叉反应: Human, M	ouse, Rat, Rabbit, Sheep,

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复) not yet tested in other applications.



optimal dilutions/concentrations should be determined by the end user.

分子量: 20kDa

细胞定位: 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml

免疫原: KLH conjugated synthetic peptide derived from human CKLFH6:101-183/183

亚 型: lgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed: PubMed



产品介绍: his gene belongs to the chemokine-like factor gene superfamily, a novel family that is similar to the chemokine and transmembrane 4 superfamilies. This gene is one of several chemokine-like factor genes located in a cluster on chromosome 3. This gene is widely expressed in many tissues, but the exact function of the encoded protein is unknown. [provided by RefSeq, Jul 2008].

Subcellular Location:
Membrane; Multi-pass membrane protein.
Tissue Specificity:
Expressed in the leukocytes, placenta and testis.
Similarity:
Belongs to the chemokine-like factor family.
Contains 1 MARVEL domain.
SWISS:
Q9NX76
Gene ID:
54918
Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic

applications.



产品图片

