

Sestrin3 抗体

产品货号: mlR6100

英文名称: SESN3

中文名称: Sestrin3 抗体

别 名: SESN3; SESN3_HUMAN; SEST3; Sestrin 3; Sestrin-3.

研究领域: 肿瘤 细胞生物 免疫学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Rabbit, Guinea Pig,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



产品介绍 background:

分 子	量	:	54kDa
细胞定	色位	:	细胞核 细胞浆
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human SESN3:401-500/492
WÉ	型	:	IgG
纯化力	法	:	affinity purified by Protein A
储 存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
	at stitu	rooi	Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is m temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-
PubM	ed:	P	ubMed



产品图片

This gene encodes a member of the sestrin family of stress-induced proteins. The encoded protein reduces the levels of intracellular reactive oxygen species induced by activated Ras downstream of RAC-alpha serine/threonine-protein kinase (Akt) and FoxO transcription factor. The protein is required for normal regulation of blood glucose, insulin resistance and plays a role in lipid storage in obesity. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2012]

Subcellular Location:
Widely expressed.
Similarity:
Belongs to the sestrin family.
SWISS:
P58005
Gene ID:
143686
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.



245 -180 -135 -100 75-63 -SESN3 48 35 -25 20