

泛甲基赖氨酸抗体

产品货号: mIR6350

英文名称: pan methyl Lysine

中文名称: 泛甲基赖氨酸抗体

别 名: pan methyl Lysine; pan methyl K; Methylated Lysine; pan Methylated Lysine.

研究领域: 细胞生物 信号转导 表观遗传学

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat,

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user. \\



Good elisakit producers		ou ells	akit producers
,	性	状:	Lyophilized or Liquid
ì	浓	度:	1mg/ml
:	免 疫	原:	KLH conjugated synthetic peptide of pan methyl Lysine:di-methyl K
	NÉ	型:	IgG
:	纯化方	ī法:	affinity purified by Protein A
,	储存	液:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
i	at roor in steri	ile pH	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable perature for at least one month and for greater than a year when kept at -20°C. When reconstituted 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
(meth	Lysine methylation occurs in three distinct states, having either one (me1), two (me2) or three yl groups attached to the amine group of the lysine side chain. In eukaryotes, histone H3 d at lysine 4 (H3K4me3) is associated with active chromatin and gene expression.
;	swiss	:	
1	N/A		
	Gene I	D:	



N/A

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

