

热休克蛋白 70 蛋白 12B 抗体

产品货号： mlR18077

英文名称： HSPA12B

中文名称： 热休克蛋白 70 蛋白 12B 抗体

别 名： Heat shock 70 kDa protein 12B; HS12B_HUMAN; Hspa12b.

研究领域： 细胞生物 信号转导 转录调节因子

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 76kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human HSPA12B:231-330/686

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍 The protein encoded by this gene contains an atypical heat shock protein 70 (Hsp70) ATPase domain and is therefore a distant member of the mammalian Hsp70 family. This gene may be involved in susceptibility to atherosclerosis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2010]

Tissue Specificity:

Highest expression in muscle and heart. Lower levels in liver and kidney.

Similarity:

Belongs to the heat shock protein 70 family.

SWISS:

Q96MM6

Gene ID:

116835



Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.