

S100 钙结合蛋白 5 抗体

产品货号: mlR19354

英文名称: S100Z

中文名称: S100 钙结合蛋白 ζ 抗体

别 名: Gm625; Protein S100 Z; Protein S100-Z; S100 calcium binding protein Z; S100 calcium binding protein zeta; S100 calcium-binding protein Z; S100 zeta; S100Z_HUMAN.

研究领域: 细胞生物 免疫学 结合蛋白

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Pig, Cow, Horse,

产品应用: ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 12kDa

细胞定位: 细胞浆

性 状: Lyophilized or Liquid

液 度: 1mg/ml



Q8WXG8

Gene ID:

免疫原: KLH conjugated synthetic peptide derived from human S100Z:41-99/99
亚 型: IgG
纯化方法: affinity purified by Protein A
储 存 液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.
PubMed: PubMed
产品介绍: Members of the S100 protein family contain 2 calcium-binding EF-hands and exhibit cell-type specific expression patterns. For additional background information on S100 proteins, see MIM 114085.[supplied by OMIM, Mar 2008]
Tissue Specificity:
Highest level of expression in spleen and leukocytes.
Similarity:
Belongs to the S-100 family.
Contains 2 EF-hand domains.
SWISS:



170591

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.