

溶菌酶样蛋白 4 抗体

产品货号： mIR18595

英文名称： LYZL4

中文名称： 溶菌酶样蛋白 4 抗体

别 名： 1810009N24Rik; AI504271; LYC4; lysozyme like 4; Lysozyme-4; Lysozyme-like protein 4; LYZL4; LYZL4_HUMAN; MGC26768; N.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow, Horse, Rabbit,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 16kDa

细胞定位： 分泌型蛋白

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human LYZL4:1-100/146

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： Lysozymes (see LYZ; MIM 153450), especially C-type lysozymes, are well-recognized bacteriolytic factors widely distributed in the animal kingdom and play a mainly protective role in host defense. LYZL4 is a member of a family of lysozyme-like genes (Zhang et al., 2005 [PubMed 16014814]).[supplied by OMIM, Apr 2009]

Subcellular Location:

Secreted.

Tissue Specificity:

Expressed in testis and epididymis.

Similarity:

Belongs to the glycosyl hydrolase 22 family.

SWISS:

Q96KX0

Gene ID:

131375

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.