

## 锌指蛋白 14 抗体

产品货号： mlR-18493

英文名称： ZNF14

中文名称： 锌指蛋白 14 抗体

别 名： GIOT-4; Gonadotropin inducible transcription repressor 4; Gonadotropin-inducible ovary transcription repressor 4; Zinc finger protein 14 (KOX 6); Zinc finger protein 14 (KOX6); Zinc finger protein 14; Zinc finger protein KOX 6; Zinc finger protein KOX6; ZNF14; ZNF14\_HUMAN.

研究领域： 转录调节因子 锌指蛋白 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 75kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

**免 疫 原：** KLH conjugated synthetic peptide derived from human ZNF14:101-200/643

**亚 型：** IgG

**纯化方法：** affinity purified by Protein A

**储 存 液：** 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**保存条件：** Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

**PubMed：** PubMed

**产品介绍：** The protein encoded by this gene contains a zinc finger and a Kruppel-associated box (KRAB) domain. KRAB domain is known to be involved in the transcriptional repression of a number of zinc finger proteins. [provided by RefSeq, Jul 2008]

**Function:**

May be involved in transcriptional regulation.

**Subcellular Location:**

Nucleus.

**Similarity:**

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 19 C2H2-type zinc fingers.

Contains 1 KRAB domain.

**SWISS:**

P17017

**Gene ID:**

7561

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.