



## 锌指蛋白 64 抗体

产品货号 : mlR19129

英文名称 : ZFP64

中文名称 : 锌指蛋白 64 抗体

别 名 : dj548G19.1; dj831D17.1; FLJ10734; FLJ12628; MGC940; Zinc finger protein 338; Zinc finger protein 64; Zinc finger protein 64 isoforms 1 and 2; Zinc finger protein 64 isoforms 3 and 4; ZNF338.

研究领域 : 细胞生物 转录调节因子 锌指蛋白 表观遗传学

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Human, Mouse, Rat, Dog, Pig, Cow, Horse,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量 : 75kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human ZFP64:391-490/681

亚 型 : IgG



纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : ZFP64 is a 681 amino acid homolog of the mouse Zfp64 protein and is a member of the Krüppel C2H2-type zinc-finger family. Localized to the nucleus, ZFP64 contains nine C2H2-type zinc fingers and is thought to be involved in transcriptional regulation. Four isoforms of ZFP64 exist due to alternative splicing events.

**Function:**

May be involved in transcriptional regulation.

**Subcellular Location:**

Nuclear

**Similarity:**

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 9 C2H2-type zinc fingers.

**SWISS:**

Q9NPA5

Gene ID:

55734

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

**产品图片**

