

干扰素 α16 抗体

产品货号: mlR6330

英文名称: IFNA16/Interferon alpha 16

中文名称: 干扰素 α16 抗体

别 名: IFN alpha N protein; Interferon alpha WA; Interferon, alpha 16; IFN16_HUMAN.

研究领域: 肿瘤 细胞生物 免疫学 信号转导 干扰素

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human,

产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



产品介绍 background:

分 子	量	:	19kDa
细胞定	位	:	分泌型蛋白
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human IFNA16:101-189/189
NE.	型	:	IgG
纯化方	法	:	affinity purified by Protein A
储 存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
	n te	mp	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable erature for at least one month and for greater than a year when kept at -20°C. When reconstitute .4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMe	ed :	Pi	ubMed



产品图片:

IFNA16 is produced by macrophages and has antiviral activities. Interferon stimulates the production of two enzymes: a protein kinase and an oligoadenylate synthetase.

Function:
Produced by macrophages, IFN-alpha have antiviral activities. Interferon stimulates the production of two
enzymes: a protein kinase and an oligoadenylate synthetase.
Subcellular Location:
Secreted.
Similarity:
Belongs to the alpha/beta interferon family.
SWISS:
205045
P05015
Gene ID:
3449
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.



