

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

干扰素 α4 抗体

产品货号:	mlR6304
英文名称:	IFNA4
中文名称:	干扰素 α4 抗体
别 名: Interferon, al _l	Interferon alpha 4 precursor; Interferon alpha 4B; Interferon alpha 76; Interferon alpha M1; pha 4; IFNA4_HUMAN.
研究领域:	肿瘤 细胞生物 免疫学 干扰素
抗体来源:	Rabbit
克隆类型:	Polyclonal
交叉反应:	Human, Mouse,
产品应用: 做抗原修复)	WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需



分 子	量	:	22kDa
细胞定	位	:	分泌型蛋白
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human IFNA4:101-189/189
WÉ.	型	:	IgG
纯化方	法	:	affinity purified by Protein A
储存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条	件	:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable
at roor	n te	mp	erature for at least one month and for greater than a year when kept at -20°C. When reconstituted
in steri	le p	H 7	.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

产品介绍: Produced by macrophages, IFN alpha have antiviral activities. Interferon stimulates the production of two enzymes: a protein kinase and an oligoadenylate synthetase.

PubMed: PubMed



Function:
Produced by macrophages, IFN-alpha have antiviral activities. Interferon stimulates the production of two
enzymes: a protein kinase and an oligoadenylate synthetase.
Subcellular Location:
Secreted.
Similarity:
Belongs to the alpha/beta interferon family.
CAMPOC
SWISS:
P05014
Gene ID:
3441
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.
产品图片



