

柠檬酸合成酶 CISO 抗体

产品货号： mlR17709

英文名称： Citrate synthetase

中文名称： 柠檬酸合成酶 CISO 抗体

别名： CISO_HUMAN; citrate synthase; Citrate synthase, mitochondrial; Cs; EC 2.3.3; EC 2.3.3.1.

研究领域： 肿瘤 细胞生物 信号转导 新陈代谢

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Cow, Zebrafish,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500
(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 52kDa

细胞定位 : 细胞浆

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human Citrate synthetase:281-380/466

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍： The protein encoded by this gene is a Krebs tricarboxylic acid cycle enzyme that catalyzes the synthesis of citrate from oxaloacetate and acetyl coenzyme A. The enzyme is found in nearly all cells capable of oxidative metabolism. This protein is nuclear encoded and transported into the mitochondrial matrix, where the mature form is found. [provided by RefSeq, Jul 2008]

Subcellular Location:

Mitochondrion matrix.

Similarity:

Belongs to the citrate synthase family.

SWISS:

O75390

Gene ID:

1431

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.