

锌指蛋白 185 抗体

产品货号： mIR12795

英文名称： ZNF185

中文名称： 锌指蛋白 185 抗体

别名： LIM domain protein ZNF185; P1 A; P1-A; Zinc finger protein 185 (LIM domain); Zinc finger protein 185; ZN185_HUMAN; ZNF185.

研究领域： 肿瘤 细胞生物 锌指蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow, Horse, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 74kDa

细胞定位： 细胞浆

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原 : KLH conjugated synthetic peptide derived from human ZNF185:101-200/689

亚型 : IgG

纯化方法 : affinity purified by Protein A

储存液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : Zinc-finger proteins bind nucleic acids and play important roles in various cellular functions, including cell proliferation, differentiation, and apoptosis. This gene encodes a LIM-domain zinc finger protein. The LIM domain is composed of two contiguous zinc finger domains, separated by a two-amino acid residue hydrophobic linker. The LIM domain mediates protein:protein interactions. Multiple alternatively spliced transcript variants encoding different isoforms have been identified.[provided by RefSeq, May 2010]

Function:

May be involved in the regulation of cellular proliferation and/or differentiation.

Subcellular Location:

Cytoplasm > cytoskeleton. Cell junction > focal adhesion.

Tissue Specificity:

Expressed in placenta, pancreas and kidney. Also expressed in prostate, testis, ovary and blood.

Similarity:



Contains 1 LIM zinc-binding domain.

SWISS:

O15231

Gene ID:

7739

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.