

锌指蛋白 354C 抗体

产品货号： mlR9189

英文名称： ZNF354C

中文名称： 锌指蛋白 354C 抗体

别名： Kidney, ischemia, and developmentally-regulated protein 3; ischemia; hKID3; Kidney; KRAB zinc finger protein synten; Z354C_HUMAN; Zinc finger protein 354C; ZNF354C.

研究领域： 心血管 细胞生物 发育生物学 神经生物学 信号转导 细胞周期蛋白 细胞分化 锌指蛋白 表观遗传学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Cow, Horse,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:50-200 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 64kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human ZNF354C:401-500/554

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍： May function as a transcription repressor. Suppresses osteogenic effects of RUNX2. Binds to 5'-CCACA-3' core sequence. May be involved in osteoblastic differentiation.

Subunit:

Interacts with RUNX2. Binds consensus element OSE2

Subcellular Location:

Nucleus

Tissue Specificity:

Expressed in kidney and skeletal muscle. Very low expression in brain and heart.

Similarity:

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 11 C2H2-type zinc fingers.

Contains 1 KRAB domain.

SWISS:

Q8NCQ7

Gene ID:

147011

Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.