

OSGIN2 蛋白抗体

产品货号： mlR17527

英文名称： OSGIN2

中文名称： OSGIN2 蛋白抗体

别 名： BC010311; C230027H09Rik; C8orf1; hT41; MGC11786; OSGIN 2; OTTMUSP00000004957; Oxidative stress induced growth inhibitor family member 2; RGD1306323; RP23-386N10.2.

研究领域： 细胞生物 免疫学

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 57kDa

细胞定位 : 细胞核

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human OSGIN2:31-120/505

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : OSGIN2 (Oxidative stress induced growth inhibitor family member 2) may be involved in meiosis or the maturation of germ cells.

Similarity:

Belongs to the OKL38 family.

SWISS:

Q9Y236

Gene ID:

734

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.