

## 甘油激酶 5 抗体

产品货号	:	mIR8408
英文名称	:	GK5
中文名称	:	甘油激酶 5 抗体
别 名 (putative);		ATP:glycerol 3-phosphotransferase 5; FLJ33582; FLJ45739; Glycerokinase 5; glycerol kinase 5 GC40579; Putative glycerol kinase 5.
研究领域	:	肿瘤 细胞生物 免疫学 信号转导
抗体来源	:	Rabbit
克隆类型	:	Polyclonal
交叉反应	:	Human, Mouse, Rat, Dog, Horse, Rabbit,
<b>产品应用</b> 做抗原修		WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:50-200 (石蜡切片需

 $not\ yet\ tested\ in\ other\ applications.$ 

optimal dilutions/concentrations should be determined by the end user. \\



产品介绍: No data available.

分 子	量	:	59kDa
细胞定	位	:	细胞浆
性	状	:	Lyophilized or Liquid
浓	度	:	1mg/ml
免 疫	原	:	KLH conjugated synthetic peptide derived from human GK5/Glycerokinase 5:441-529/529
WÉ.	型	:	IgG
纯化方	法	:	affinity purified by Protein A
储 存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
	n te	mp	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable perature for at least one month and for greater than a year when kept at -20 °C. When reconstituted 4.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMe	ed :	Р	ubMed



Similarity:
Belongs to the FGGY kinase family.
SWISS:
Q6ZS86
Gene ID:
256356
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.