



## NUDT8 蛋白抗体

产品货号 : mlR24197

英文名称 : NUDT8

中文名称 : NUDT8 蛋白抗体

别 名 : FLJ41567; Nucleoside diphosphate linked moiety X motif 8; Nucleoside diphosphate linked moiety X motif 8 mitochondrial; Nucleoside diphosphate-linked moiety X motif 8, mitochondrial; Nudix (nucleoside diphosphate linked moiety X) type motif 8; Nudix motif 8; Nudix type motif 8; NUDT 8; NUDT8; NUDT8\_MOUSE.

研究领域 : 肿瘤 细胞生物 神经生物学

抗体来源 : Rabbit

克隆类型 : Polyclonal

交叉反应 : Mouse, Rat,

产品应用 : WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500  
(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分子量： 25kDa

细胞定位： 细胞浆

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from mouse NUDT8:21-120/236

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： NUDT8 (Nudix Hydrolase 8) is a Protein Coding gene. GO annotations related to this gene include hydrolase activity. An important paralog of this gene is NUDT7.

**Function:**

Probably mediates the hydrolysis of some nucleoside diphosphate derivatives.

**Subcellular Location:**

Mitochondrion.

**Similarity:**

Belongs to the Nudix hydrolase family. Belongs to the Nudix hydrolase family. Contains 1 nudix hydrolase domain. Contains 1 nudix hydrolase domain.

**SWISS:**

Q9CR24

**Gene ID:**

66387

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

**mlbio** 海联生物  
Good elisakit producers

