

氧固醇结合蛋白样 11 抗体

产品货号： mlR17516

英文名称： OSBPL11

中文名称： 氧固醇结合蛋白样 11 抗体

别名： FLJ13012; FLJ13164; ORP 11; ORP-11; ORP11; OSB11_HUMAN; OSBP related protein 11; OSBP-related protein 11; OSBP12; OSBPL11; OTTHUMP00000215865; Oxysterol binding protein like 11; Oxysterol binding protein related protein 11; Oxysterol-binding protein-related protein 11; TCCCIA00292.

研究领域： 肿瘤 细胞生物 发育生物学 新陈代谢

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Zebrafish, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 84kDa

细胞定位： 细胞浆

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human OSBPL11:41-140/747

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed : PubMed

产品介绍 : This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of intracellular lipid receptors. Like most members, the encoded protein contains an N-terminal pleckstrin homology domain and a highly conserved C-terminal OSBP-like sterol-binding domain. [provided by RefSeq, Jul 2008]

Tissue Specificity:

Widely expressed.

Similarity:

Belongs to the OSBP family.

Contains 1 PH domain.

SWISS:

Q9BXB4

Gene ID:

114885

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

