

叶酸受体 4 抗体

产品货号： mlR13195

英文名称： Folate Receptor 4

中文名称： 叶酸受体 4 抗体

别名： 0910001L11Rik; C86255; Folate binding protein 3; Folate receptor 4; Folbp3; Folr4; FR delta; FR4; JUNO_HUMAN.

研究领域： 细胞生物 细胞膜受体 t-淋巴细胞

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat,

产品应用： WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500
(石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 26kDa

细胞定位： 分泌型蛋白

性状： Lyophilized or Liquid

浓度： 1mg/ml

免疫原： KLH conjugated synthetic peptide derived from human Folate Receptor 4:151-250/250

亚型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PubMed： PubMed

产品介绍： Folate receptor 4 is a highly expressed cell surface marker of regulatory T cells.

Subcellular Location:

Secreted.

Post-translational modifications:

Eight disulfide bonds are present (Potential).

Similarity:

Belongs to the folate receptor family.

SWISS:

A6ND01

Gene ID:

390243

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

产品图片

