

NK 细胞抑制性受体 3DX1 抗体

产品货号： mlR17073

英文名称： KIR3DX1

中文名称： NK 细胞抑制性受体 3DX1 抗体

别 名： FLJ00060; Immunoglobulin like receptor KIR3DL0; Killer cell immunoglobulin like receptor, three domains, X1; KIR3DL0; KI3X1_HUMAN; KIR3DX1 protein; LENG12; Leukocyte receptor cluster (LRC) member 12.

研究领域： 细胞生物 细胞膜受体 细胞膜蛋白

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量 : 37kDa

细胞定位 : 细胞膜

性 状 : Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human KIR3DX1:251-350/352

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 Killer Immunoglobulin like Receptors (KIR) are essential immuno surveillance molecules.

Subcellular Location:

Secreted

Tissue Specificity:

Expressed in NK-cells.

Similarity:

Contains 2 Ig-like C2-type (immunoglobulin-like) domains.

SWISS:

Q8N0S4

Gene ID:

90011

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.