

NKAIN1 蛋白抗体

产品货号: mlR19258

英文名称: NKAIN1

中文名称: NKAIN1 蛋白抗体

别 名: 2610200G18Rik; 2810426C15Rik; FAM77C; Family with sequence similarity 77 member C; FLJ12650; MGC144417; Na(+)/K(+)-transporting ATPase subunit beta-1-interacting protein 1; Na+/K+ transporting ATPase interacting 1; NKAI1_HUMAN; Nkain1; Protein FAM77C; RGD1561205; Sodium/potassium-transporting ATPase subunit beta-1-interacting protein 1.

研究领域: 肿瘤 细胞生物 信号转导

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,

产品应用: IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复) not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 21kDa

细胞定位: 细胞膜

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



亚 型: IgG
纯化方法: affinity purified by Protein A
储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
保存条件: Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 $^{\circ}$ C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.
PubMed: PubMed
产品介绍: NKAIN1 is a member of a family of mammalian proteins with similarity to Drosophila Nkain and interacts with the beta subunit of Na,K-ATPase (ATP1B1; MIM 182330) (Gorokhova et al., 2007 [PubMed 17606467]).[supplied by OMIM, Jun 2009]
Subcellular Location:
Cell membrane.
Similarity:
Belongs to the NKAIN family.
SWISS:
Q4KMZ8
Gene ID:
79570

免疫原: KLH conjugated synthetic peptide derived from human NKAIN1:31-130/207 <Extracellular>



Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.